Author Index

ABRAMSON O., QIU S. & ERLE D.J. Preferential production of interferon-γ by CD4$^+$ T cells expressing the homing receptor integrin $\alpha_4\beta_7$, 155
AKDIS C.A. & BLASER K. Mechanisms of interleukin-10-mediated immune suppression, 131
ALDIGIER J.C. *see* DENIZOT Y.
AL-HARTHI LENA *see* SULLIVAN Y.B.
AMI K. *see* OHKAWA T.
ANDERSEN P. *see* LEAL I.S.
ANDRÉ P. *see* MASON D.
AOYAGI T. *see* MIGITA K.
APPELBERG R. *see* LEAL I.S.
APPELBERG R. *see* SILVA R.A.
ARA Y., SAITO T., TAKAGI T., HAGIWARA E., MIYAGI Y., SUGIYAMA M., KAWAMOTO S., ISHII N., YOSHIDA T., HANASHI D., KOSHINO T., OKADA H. & OKUDA K. Zymosan enhances the immune response to DNA vaccine for human immunodeficiency virus type-1 through the activation of complement system, 98
ATEN J. *see* DAMMERS P.M.
ATTANASIO R. *see* SCINICARIELLO F.
AUPETIT C. *see* DENIZOT Y.
AYABE H. *see* SAWADA T.
AYOUB M. *see* MÜLLER M.R.

BABA T. *see* NISHIMURA H.
BAHR G.M. *see* VIDAL V.
BALDWIN C.L. *see* MURPHY E.A.
BASTA S., KNOETIG S., SUMMERFIELD A. & MCCULLOUGH K.C. Lipopolysaccharide and phorbol 12-myristate 13-acetate both impair monocyte differentiation, relating cellular function to virus susceptibility, 488
BEGEMANN G. *see* KIRCHHOFF K.
BELLON B. *see* DAMMERS P.M.
BENSUSSAN A. *see* MASON D.
BERCHTOLD M.W. *see* SCHMALZIGAUG R.
BESSLER W.G. *see* MÜLLER M.R.
BLACKBURN C.C. *see* COLLEDGE L.
BLASER K. *see* AKDIS C.A.
BOHR P.J. *see* ROSNER K.
BONNEY E.A. Maternal tolerance is not critically dependent on interleukin-4, 382
BOS N.A. *see* DAMMERS P.M.
BOUIC P.J.D. *see* VEENSTRA H.
BUCKLEY C. *see* MASON D.
BUN J.C.A.M. *see* DAMMERS P.M.

CARLSTEN H. *see* ERLANDSSON M.
CARTER C. *see* ROBINSON P.W.
CHAI J.-G. *see* LECHLER R.
CHEN Y.-Y. *see* SUEN J.-L.
CHIANG B.-L. *see* SUEN J.-L.
CHIESA M.D., MARTENSEN P.M., SIMMONS C., PORAKISHVILI N., JUSTESEN J., DOUGAN G., ROITT I.M., DELVES P.J. & LUND T. Refocusing of B-cell responses following a single amino acid substitution in an antigen, 172
CHRISTIE G. *see* KARAGIANNIS S.N.
CICCOCIOPPO R. *see* DI SABATINO A.
CIFONE M.G. *see* DI SABATINO A.
CIVIN C. *see* MASON D.
CLARK E. *see* MASON D.
COADWELL J. *see* ROBINSON P.W.
COGNÉ M. *see* DENIZOT Y.
COLLEDGE L., SUN M.-Y., LIN W., BLACKBURN C.C. & REAY P.A. Differing processing requirements of four recombinant antigens containing a single defined T-cell epitope for presentation by major histocompatibility complex class II, 343
COLLINS H.L. & KAUFMANN S.H.E. The many faces of host reponses to tuberculosis, 1
CORAZZA G.R. *see* DI SABATINO A.
COX E. *see* VANROMPAY D.
CROCKER P.R. & VARKI A. Siglecs in the immune system, 137

D'ALÒ S. *see* DI SABATINO A.
DAI J.H., IWATANI Y., ISHIDA T., TERUNUMA H., KASAI H., IWAKULA Y., FUJIWARA H. & ITO M. Glycyrrhizin enhances interleukin-12 production in peritoneal macrophages, 235
DAMMERS P.M., BUN J.C.A.M., BELLON B., KROESE F.G.M., ATEN J. & BOS N.A. Immunoglobin V_H-gene usage of autoantibodies in mercuric chloride-induced membranous glomerulopathy in the rat, 199
DAVIES A. *see* FERNIE-KING B.A.
DE HAAS M. *see* MASON D.
DEITCH E.A. *see* HASKÓ G.
DELVES P.J. *see* CHIESA M.D.
DEMAULA C.D. *see* HEDGES J.F.
DENIZOT Y., PINAUD E., AUPETIT C., LE MORVAN C., MAGNOUX E., ALDIGIER J.C. & COGNÉ M. Polymorphism of the human α1 immunoglobulin gene 3′ enhancer hs1,2 and its relation to gene expression, 35
DEWAR A.L., DOHERTY K.V., WOODS G.M., LYONS A.B. & MULLER H.K. Acquisition of immune function during the development of the Langerhans cell network in neonatal mice, 61
DEWULF J. *see* VIDAL V.
DI SABATINO A., D'ALÒ S., MILLIMAGGI D., CICCOCIOPPO R., PARRONI R., SCIARRA G., CIFONE M.G. & CORAZZA G.R. Apoptosis and peripheral blood lymphocyte depletion in coeliac disease, 435
DOBASHI H. *see* OHKAWA T.
DOHERTY K.V. *see* DEWAR A.L.
DONNADIEU E., REVY P. & TRAUTMANN A. Imaging T-cell antigen recognition and comparing immunological and neuronal synapses, 417
DOUGAN G. *see* CHIESA M.D.

EGUCHI K. *see* MIGITA K.
EHINGER M., VESTBERG M., JOHANSSON A.C.M., JOHANNESSON M., SVENSSON A. & HOLMDAHL R. Influence of CD4 or CD8 deficiency on collagen-induced arthritis, 291
EHLERS S., REILING N., GANGLOFF S., WOLTMANN A. & GOYERT S. Mycobacterium avium infection in CD14-deficient mice fails to substantiate a significant role for CD14 in antimycobacterial protection or granulomatous inflammation, 113
ELSE K.J. *see* MCDERMOTT J.R.
ERLANDSSON M., OHLSSON C., GUSTAFSSON J.-A. & CARLSTEN H. Role of oestrogen receptors α and β in immune organ development and in oestrogen-mediated effects on thymus, 17
ERLE D.J. *see* ABRAMSON O.

FAZLE AKBAR S.M. *see* OKA Y.
FERNIE-KING B.A., SEILLY D.J., WILLERS C., WÜRZNER R., DAVIES A. & LACHMANN P.J. Streptococcal inhibitor of complement (SIC) inhibits the membrane attack complex by preventing uptake of C567 onto cell membranes, 390
FERRIS W.F. *see* VEENSTRA H.

FLÓRIDO M. *see* LEAL I.S.
FLÓRIDO M. *see* SILVA R.A.
FORSBERG M., LÖFGREN R., ZHENG L. & STENDAHL O. Tumour necrosis factor-α potentiates CR3-induced respiratory burst by activating p38 MAP kinase in human neutrophils, 465
FUJIWARA H. *see* DAI J.H.

GANGLOFF S. *see* EHLERS S.
GEARHART P.J. *see* ROSNER K.
GEYER A. *see* YUAN L.
GODDEERIS B. *see* VANROMPAY D.
GOGAMI A. *see* NISHIMURA H.
GOLDSBY R.A. *see* JEONG Y.
GORDON S. *see* GOUGH P.J.
GÖTZE O. *see* KIRCHHOFF K.
GOUGH P.J., GORDON S. & GREAVES D.R. The use of human CD68 transcriptional regulatory sequences to direct high-level expression of class A scavenger receptor in macrophages *in vitro* and *in vivo*, 351
GOULD H.J. *see* KARAGIANNIS S.N.
GOYERT S. *see* EHLERS S.
GOYERT S. *see* MASON D.
GRAINGER D.J. *see* RECKLESS J.
GREAVES D.R. *see* GOUGH P.J.
GREEN S.J. *see* ROBINSON P.W.
GRENCIS R.K. *see* MCDERMOTT J.R.
GRIFFITHS G.M. *see* STINCHCOMBE J.C.
GUSTAFSSON J.-A. *see* ERLANDSSON M.

HABU Y. *see* OHKAWA T.
HADAM M. *see* MASON D.
HAGIWARA E. *see* ARA Y.
HAMANO T. *see* KATAOKA Y.
HANASHI D. *see* ARA Y.
HARADA W. *see* TOYABE S.-I.
HART D. *see* MASON D.
HASHIMOTO N. *see* KATAOKA Y.
HASKÓ G., SZABÓ C., NÉMETH Z.H. & DEITCH E.A. Sulfasalazine inhibits macrophage activation: inhibitory effects on inducible nitric oxide synthase expression, interleukin-12 production and major histocompatability complex II expression, 473
HAYAKAWA S. *see* SEO N.
HIRAIDE H. *see* OHKAWA T.
HISHIKAWA Y. *see* SAWADA T.
HOŘEJŠÍ V. *see* MASON D.
HOFFMANN P. *see* MÜLLER M.R.
HOLMDAHL R. *see* EHINGER M.
HORIIKE N. *see* OKA Y.

IDA H. *see* MIGITA K.
ISHIDA T. *see* DAI J.H.
ISHII N. *see* ARA Y.
ISIBASI A. *see* MARTÍN-OROZCO N.
ITO M. *see* DAI J.H.
IWAKULA Y. *see* DAI J.H.
IWASAKI T. *see* KATAOKA Y.
IWATA N. *see* KATAOKA Y.
IWATANI Y. *see* DAI J.H.

JENNINGS K.H. *see* KARAGIANNIS S.N.
JEONG Y., OSBOURNE B.A. & GOLDSBY R.A. Early Vλ diversification in sheep, 26
JOHANNESSON M. *see* EHINGER M.
JOHANSSON A.C.M. *see* EHINGER M.
JOKO K. *see* OKA Y.
JUSTESEN J. *see* CHIESA M.D.

KAISER P. *see* VANROMPAY D.
KAKISHITA E. *see* KATAOKA Y.
KAPP A. *see* KIRCHHOFF K.
KARAGIANNIS S.N., WARRACK J.K., JENNINGS K.H., MURDOCK P.R., CHRISTIE G., MOULDER K., SUTTON B.J. & GOULD H.J. Endocytosis and recycling of the complex between CD23 and HLA-DR in human B cells, 319
KARASAWA T. *see* TOYABE S.-I.
KASAI H. *see* DAI J.H.
KATAOKA Y., IWASAKI T., KUROIWA T., SETO Y., IWATA N., HASHIMOTO, N., OGATA A., HAMANO T. & KAKISHITA E. The role of donor T cells for target organ injuries in acute and chronic graft-versus-host disease, 310
KAUFMANN S.H.E. *see* COLLINS H.L.
KAWAKAMI A. *see* MIGITA K.
KAWAMOTO S. *see* ARA Y.
KILSHAW P.J. *see* ROBINSON P.W.
KIRCHHOFF K., WEINMANN O., ZWIRNER J., BEGEMANN G., GÖTZE O., KAPP A. & WERFEL T. Detection of anaphylatoxin receptors on $CD83^+$ dendritic cells derived from human skin, 210
KISHIMOTO K. *see* SAWADA T.
KITA M. *see* MIGITA K.
KITCHEN S.G. *see* SULLIVAN Y.B.
KITSIS R.N. *see* MARTINS G.A.
KNOETIG S. *see* BASTA S.
KOIKE Y. *see* OHKAWA T.
KOJI T. *see* SAWADA T.
KOSHINO T. *see* ARA Y.
KROESE F.G.M. *see* DAMMERS P.M.
KURISAKI J.-I. *see* TSUJI N.M.
KUROIWA T. *see* KATAOKA Y.

LACHMANN P.J. *see* FERNIE-KING B.A.
LANDAY A.L. *see* SULLIVAN Y.B.
LANGE G. *see* ROSNER K.
LAWSON S. *see* VANROMPAY D.
LE MORVAN C. *see* DENIZOT Y.
LEAL I.S., FLÓRIDO M., ANDERSEN P. & APPELBERG R. Interleukin-6 regulates the phenotype of the immune response to a tuberculosis subunit vaccine, 375
LECHLER R., CHAI J.-G., MARELLI-BERG F. & LOMBARDI G. The contributions of T-cell anergy to peripheral T-cell tolerance, 262
LIN W. *see* COLLEDGE L.
LÖFGREN R. *see* FORSBERG M.
LOMBARDI G. *see* LECHLER R.
LUND T. *see* CHIESA M.D.
LUROSS J.A. & WILLIAMS N.A. The genetic and immunopathological processes underlying collagen-induced arthritis, 407
LYONS A.B. *see* DEWAR A.L.

MACHADO F.S. *see* MARTINS G.A.
MACLACHLAN N.J. *see* HEDGES J.F.
MAGNOUX E. *see* DENIZOT Y.
MARELLI-BERG F. *see* LECHLER R.
MARTENSEN P.M. *see* CHIESA M.D.
MARTÍN-OROZCO N., ISIBASI A. & ORTIZ-NAVARRETE V. Macrophages present exogenous antigens by class I major histocompatibility complex molecules via a secretory pathway as a consequence of interferon-γ activation, 41
MARTINS G.A., PETKOVA S.B., MACHADO F.S., KITSIS R.N., WEISS L.M., WITTNER M., TANOWITZ H.B. & SILVA J.S. Fas–FasL interaction modulates nitric oxide production in *Trypanosoma cruzi*-infected mice, 122
MASON D., ANDRÉ P., BENSUSSAN A., BUCKLEY CH., CIVIN C., CLARK E., DE HAAS M., GOYERT S., HADAM M., HART D., HOŘEJŠÍ V., MEUER S., MORRISSEY J., SCHWARTZ-ALBIEZ R., SHAW S., SIMMONS D., UGUCCIONI M., VAN DER SCHOOT E., VIVIER E. & ZOLA H. CD antigens 2001, 401
MCCULLOUGH K.C. *see* BASTA S.
MCDERMOTT J.R., GRENCIS R.K. & ELSE K. J. Leukocyte recruitment during enteric nematode infection, 505
MCLAUGHLIN B.E. *see* HEDGES J.F.
MEUER S. *see* MASON D.
MIGITA K., YAMASAKI S., KITA M., IDA H., SHIBATOMI K., KAWAKAMI A., AOYAGI T. & EGUCHI K. Nitric oxide protects cultured rheumatoid synovial cells from Fas-induced apoptosis by inhibiting caspase-3, 362
MILLIMAGGI D. *see* DI SABATINO A.

MITTENBÜHLER K. *see* MÜLLER M.R.
MIYAGAWA Y. *see* NISHIMURA H.
MIYAGI Y. *see* ARA Y.
MIZUMACHI K. *see* TSUJI N.M.
MOORE B.D. *see* HEDGES J.F.
MORIKAWA K. *see* TORII I.
MORIKAWA S. *see* TORII I.
MORRISSEY J. *see* MASON D.
MOULDER K. *see* KARAGIANNIS S.N.
MULLER H.K. *see* DEWAR A.L.
MÜLLER M.R., PFANNES S.D.C., AYOUB M., HOFFMANN P., BESSLER W.G. & MITTENBÜHLER K. Immunostimulation by the synthetic lipopeptide P_3CSK_4: TLR4-independent activation of the ERK1/2 signal transduction pathway in macrophages, 49
MURAKAMI Y. *see* NISHIMURA H.
MURDOCK P.R. *see* KARAGIANNIS S.N.
MURPHY E.A., SATHIYASEELAN J., PARENT M.A., ZOU B. & BALDWIN C.L. Interferon-γ is crucial for surviving a *Brucella abortus* infection in both resistant C57BL/6 and susceptible BALB/c mice, 511

NAGASAKI M. *see* TORII I.
NAGASAWA S. *see* NISHIMURA H.
NAGAYASU T. *see* SAWADA T.
NANBO A. *see* NISHIMURA H.
NÉMETH Z.H. *see* HASKÓ G.
NGUYEN T. & RUSSELL J. The regulation of FasL expression during activation-induced cell death (AICD), 426
NISHIMURA H., GOGAMI A., MIYAGAWA Y., NANBO A., MURAKAMI Y., BABA T. & NAGASAWA S. Bactericidal/permeability-increasing protein promotes complement activation for neutrophil-mediated phagocytosis on bacterial surface, 519
NOKANO A. *see* TORII I.

OGATA A. *see* KATAOKA Y.
OHKAWA T., SEKI S., DOBASHI H., KOIKE Y., HABU Y., AMI K., HIRAIDE H. & SEKINE I. Systematic characterization of human $CD8^+$ T cells with natural killer cell markers in comparison with natural killer cells and normal $CD8^+$ T cells, 281
OHLSSON C. *see* ERLANDSSON M.
OKA T. *see* SAWADA T.
OKA Y., FAZLE AKBAR S.M., HORIIKE N., JOKO K. & ONJI M. Mechanism and therapeutic potential of DNA-based immunization against the envelope proteins of hepatitis B virus in normal and transgenic mice, 90
OKADA H. *see* ARA Y.
OKUDA K. *see* ARA Y.
ONJI M. *see* OKA Y.
ORTIZ-NAVARRETE V. *see* MARTÍN-OROZCO N.
OSBOURNE B.A. *see* JEONG Y.

PARENT M.A. *see* MURPHY E.A.
PARRONI R. *see* DI SABATINO A.
PETKOVA S.B. *see* MARTINS G.A.
PFANNES S.D.C. *see* MÜLLER M.R.
PINAUD E. *see* DENIZOT Y.
PISETSKY D.S. *see* ZHU F.-G.
PORAKISHVILI N. *see* CHIESA M.D.

QIU S. *see* ABRAMSON O.

RALSTON S.H. *see* VAN'T HOF R.J.
REAY P.A. *see* COLLEDGE L.
RECKLESS J., TATALICK L.M. & GRAINGER, D.J. The pan-chemokine inhibitor NR58-3.14.3 abolishes tumour necrosis factor-α accumulation and leucocyte recruitment induced by lipopolysaccharide *in vivo*, 244
REICH III C.F. *see* ZHU F.-G.
REILING N. *see* EHLERS S.
REVY P. *see* DONNADIEU E.
ROBINSON P.W., GREEN S.J., CARTER C., COADWELL J. & KILSHAW P.J. Studies on transcriptional regulation of the mucosal T-cell integrin αEβ7 (CD103), 146
ROITT I.M. *see* CHIESA M.D.
ROSNER K., WINTER D.B., TARONE R.E., LANGE G., SKOVGAARD V.A., BOHR P.J. & GEARHART P.J. Third complementarity-determining region of mutated V_H immunoglobulin genes contains shorter V, D, J, P, and N components than non-mutated genes, 179
RUSSELL J. *see* NGUYEN T.

SAIF L.J. *see* YUAN L.
SAITO T. *see* ARA Y.
SATHIYASEELAN J. *see* MURPHY E.A.
SAWADA T., KOJI T., HISHIKAWA Y., KISHIMOTO K., NAGAYASU T., TAKAHASHI T., OKA T. & AYABE H. Partial tolerance of subcutaneously transplanted xenogeneic tumour cell graft by Fas-mediated immunosuppression, 81
SCHMALZIGAUG R., YE Q. & BERCHTOLD M.W. Calmodulin protects cells from death under normal growth conditions and mitogenic starvation but plays a mediating role in cell death upon B-cell receptor stimulation, 332
SCHWARTZ-ALBIEZ R. *see* MASON D.
SCIARRA G. *see* DI SABATINO A.
SCINICARIELLO F. & ATTANASIO R. Intraspecies heterogeneity of immunoglobulin α-chain constant region genes in rhesus macaques, 441
SEILLY D.J. *see* FERNIE-KING B.A.
SEKI S. *see* OHKAWA T.
SEKINE I. *see* OHKAWA T.
SEO N., HAYAKAWA S., TAKIGAWA M. & TOKURA Y. Interleukin-10 expressed at early tumour sites induces subsequent generation of $CD4^+$ T-regulatory cells and systemic collapse of antitumour immunity, 449
SETO Y. *see* KATAOKA Y.
SHAW S. *see* MASON D.
SHIBATOMI K. *see* MIGITA K.
SILVA J.S. *see* MARTINS G.A.
SILVA R.A., FLÓRIDO M. & APPELBERG R. Interleukin-12 primes $CD4^+$ T cells for interferon-γ production and protective immunity during *Mycobacterium avium* infection, 368
SIMMONS C. *see* CHIESA M.D.
SIMMONS D. *see* MASON D.
SIMON S.I. *see* HEDGES J.F.
SKOVGAARD V.A. *see* ROSNER K.
STENDAHL O. *see* FORSBERG M.
STINCHCOMBE J.C. & GRIFFITHS G.M. Normal and abnormal secretion by haemopoietic cells, 10
SUEN J.-L., WU C.-H., CHEN Y.-Y., WU W.-M. & CHIANG B.-L. Characterization of self-T-cell response and antigenic determinants of U1A protein with bone marrow-derived dendritic cells in NZB × NZW F_1 mice, 301
SUGIYAMA M. *see* ARA Y.
SULLIVAN Y.B., LANDAY A.L., ZACK J.A., KITCHEN S.G. & AL-HARTHI L. Upregulation of CD4 on $CD8^+$ T cells: $CD4^{dim}CD8^{bright}$ T cells constitute an activated phenotype of $CD8^+$ T cells, 270
SUMMERFIELD A. *see* BASTA S.
SUN M.-Y. *see* COLLEDGE L.
SUTTON B.J. *see* KARAGIANNIS S.N.
SVENSSON A. *see* EHINGER M.
SZABÓ C. *see* HASKÓ G.

TAKAGI T. *see* ARA Y.
TAKAHASHI T. *see* SAWADA T.
TAKIGAWA M. *see* SEO N.
TANOWITZ H.B. *see* MARTINS G.A.
TARONE R.E. *see* ROSNER K.
TATALICK L.M. *see* RECKLESS J.
TERUNUMA H. *see* DAI J.H.
TOKURA Y. *see* SEO N.
TORII I., MORIKAWA S., NAGASAKI M., NOKANO A. & MORIKAWA K. Differential endocytotic characteristics of a novel human B/DC cell line HBM-Noda: effective macropinocytic and phagocytic function rather than scavenging function, 70
TOYABE S.-I., WATANABE A., HARADA W., KARASAWA T. & UCHIYAMA M. Specific immunoglobulin E responses in

ZAP-70-deficient patients are mediated by Syk-dependent T-cell receptor signalling, 164
TRAUTMANN A. *see* DONNADIEU E.
TSUJI N.M., MIZUMACHI K. & KURISAKI J.-I. Interleukin-10-secreting Peyer's patch cells are responsible for active suppression in low-dose oral tolerance, 458

UCHIYAMA M. *see* TOYABE S.-I.
UGUCCIONI M. *see* MASON D.

VAN DER SCHOOT E. *see* MASON D.
VAN LOOCK M. *see* VANROMPAY D.
VAN'T HOF R.J. & RALSTON S.H. Nitric oxide and bone, 255
VANROMPAY D., COX E., KAISER P., LAWSON S., VAN LOOCK M., VOLCKAERT G. & GODDEERIS B. Protection of turkeys against Chlamydophila psittaci challenge by parenteral and mucosal inoculations and the effect of turkey interferon-γ on genetic immunization, 106
VARKI A. *see* CROCKER P.R.
VEENSTRA H., FERRIS W.F. & BOUIC P.J.D. Major histocompatibility complex-class II invariant chain expression in non-antigen-presenting cells, 218
VESTBERG M. *see* EHINGER M.
VIDAL V., DEWULF J. & BAHR G.M. Enhanced maturation and functional capacity of monocyte-derived immature dendritic cells by the synthetic immunomodulator Murabutide, 479
VIVIER E. *see* MASON D.
VOLCKAERT G. *see* VANROMPAY D.

WARRACK J.K. *see* KARAGIANNIS S.N.
WATANABE A. *see* TOYABE S.-I.
WEINMANN O. *see* KIRCHHOFF K.
WEISS L.M. *see* MARTINS G.A.
WERFEL T. *see* KIRCHHOFF K.
WILLERS C. *see* FERNIE-KING B.A.
WILLIAMS N.A. *see* LUROSS J.A.
WINTER D.B. *see* ROSNER K.
WITTNER M. *see* MARTINS G.A.
WOLTMANN A. *see* EHLERS S.
WOODS G.M. *see* DEWAR A.L.
WU C.-H. *see* SUEN J.-L.
WU W.-M. *see* SUEN J.-L.
WÜRZNER R. *see* FERNIE-KING B.A.

YAMASAKI S. *see* MIGITA K.
YE Q. *see* SCHMALZIGAUG R.
YOSHIDA T. *see* ARA Y.
YUAN L., GEYER A. & SAIF L.J. Short-term immunoglobin A B-cell memory resides in intestinal lymphoid tissues but not in bone marrow of gnotobiotic pigs inoculated with Wa human rotavirus, 188

ZACK J.A. *see* SULLIVAN Y.B.
ZHENG L. *see* FORSBERG M.
ZHU F.-G., REICH III C.F. & PISETSKY D.S. The role of the macrophage scavenger receptor in immune stimulation by bacterial DNA and synthetic oligonucleotides, 226
ZOLA H. *see* MASON D.
ZOU B. *see* MURPHY E.A.
ZWIRNER J. *see* KIRCHHOFF K.

Subject Index

AICD:
  FasL expression regulation, 426
α1 immunoglobulin:
  enhancer hs1,2, 35
  human, 35
  polymorphism, 35
Anaphylatoxin receptor:
  expression on human skin DCs, 210
Anergy:
  contribution to T-cell tolerance, 262
Apoptosis:
  Fas–FasL, 122
  caspase-3, 362
  nitric oxide production, 122
  rheumatoid synovia, 362
Autoantibodies:
  Ig V_H gene usage, 199
  mercuric chloride-induced glomerulopathy, 199

B cell:
  antigen processing, endocytosis, 319
  CD23 recycling, 319
  human, 319
  sheep, 26
  Vλ reportoire, 26
B-cell response:
  epitope-refocusing, 172
  hCG epitopes, 172
  mucosal immunity, 172
B-cell signalling:
  BCR-induced apoptosis, 332
  calmodulin, 332
BCR:
  apoptosis, 332
  signal transduction, 332
BPI:
  complement activation, 519

CD antigens 2001:
  7th HLDA workshop, 401
$CD4^+$ T cells:
  association between IFNγ and α4β7, 155
  α4β7 expression, 155
  IFNγ production, 155
$CD4^+$ T-regulatory cells:
  anti-tumour immunity, 449
$CD8^+$ T cells:
  CD4 upregulation, 270
  NK T cells, 281
  phenotype, 270
CD14:
  role in antibacterial defence, 113
CD23:
  recycling in B cells, 319
CD68:
  effect on SR-A expression, 351
  human, 351
Cell trafficking:
  B cells, 319
Chemokines:
  inhibitor, 244
  role in LPS-induced TNFα, 244
Chlamydial infections:
  DNA immunization, 106
  IFNγ, 106
  turkey, 106

Coeliac disease:
  apoptosis of peripheral lymphocytes, 435
  Fas/Fas ligand system, 435
Collagen-induced arthritis (CIA):
  genetic processes, 407
  immunopathological processes, 407
  response to type II collagen, 291
  role of CD4 or CD8 T cells, 291
  Th1/Th2, 407
Complement:
  Group A Streptococci, 390
  MAC inhibition, 390
Complement activation:
  BPI, 519
  role in phagocytosis, 519

DC subtypes:
  B/DC line, 70
  endocytosis, 70
Dendritic cells:
  anaphylatoxin receptor expression, 210
  $CD83^+$, 210
  effects of immunomodulator, 479
  human skin, 210
  maturation, 479
  monocyte-derived, 479
DNA vaccines:
  dendritic cells, 90
  hepatitis B surface antigen, 90

Epitopes:
  B cells, 172
  hCG, 172
ERT 1/2 signal transduction:
  activation by lipopeptide P_3 CSK_4, 49
  macrophages, 49
E-selectin:
  characterization, 498
  equine, 498
  expression, 498
Estrogen receptors:
  effect on thymus development, 17
  ER-α and ER-β, 17

Fas:
  mediated immunosuppression, 81
  modulation of nitric oxide production, 122
  role in GvH disease, 310
  role in tolerance to xenogeneic tumour, 81
  T cruzi, 122
FasL:
  expression during AICD, 426
  regulation, 426
Fas/FasL:
  association with coeliac disease, 435
  human PBL, 435

Graft-versus-host disease:
  donor T cells, 310
  Fas, 310
  Thl response, 310

hCG:
  B-cell epitopes, 172
  contraceptive vaccine, 172
Hemopoietic cells:
  regulation of secretion, 10
  secretory lysosomes, 10

Hepatitis B virus:
DNA vaccine, 90
envelope proteins, 90
HIV-1 vaccination:
complement, 98
DNA vaccine, 98
enhanced immune response by Zymosan, 98

IFNγ:
knockout mice, 511
role in *Brucella abortus* infection, 511
IgA:
B-cell memory, 188
gnotobiotic pigs, 188
rotavirus infection, 188
IgE responses:
Syk-dependent signalling, 164
ZAP-70 deficient patients, 164
Igλ gene rearrangement:
sheep, 26
Vλ reportoire, 26
IL-6:
role in tuberculosis sub-unit vaccine, 375
IL-10:
role in oral tolerance, 458
IL-12:
effect on $CD4^+$ T cell IFNγ production, 368
glycyrrhizin-enhanced production, 235
p40 mRNA expression, 235
peritoneal macrophages, 235
role in Mycobacterium infection, 368
Immune regulation:
role of siglecs, 137
Immunoglobulin A:
heterogeneity, 441
macaque, 441
Immunoglobulin V_H gene:
autoantibodies, 199
glomerulopathy, 199
Immunological synapse immunomodulator:
effect on DCs, 479
Murabutide, 479
Integrin:
α4β7, 155
αEβ7, 146
expression on $CD4^+$ T, 155
mucosal, 146
transcription regulation, 146
Interleukin-10:
CD28 signalling pathway, 131
specific immunotherapy, 131

Langerhans cell:
DEC-205, 61
murine, 61
neonatal skin, 61
Lectins:
sialic acid binding, 137
siglecs, 137
Leukocyte recruitment:
αEβ7, 505
nematode infection, 505

Macrophage activation:
effect of sulfasalazine, 473
IL-12 production, 473
MHC class II expression, 473
no synthase expression, 473
Macrophage scavenger receptor A (SRA):
CpG DNA uptake, 226
oligonucleotides, 226
Macrophages:
ERK 1/2 signal transduction, 49
human, 351
IFNγ, 41
IL-12 production, 235
intracellular secretory pathway, 41
MHL class I antigen presentation, 41
murine peritoneal, 235
oligonucleotides, 226
process exogenesis antigen, 41
role of CD68 in SR-A expression, 351
scavenger receptor, 226
Mast cells:
αEβ7, 505
integrins, 505
T. spiralis infection, 505
Maternal tolerance:
fetal antigens, 382
Th2 responses, 382
to H-Y, 382
MHC class II:
invariant chain, 218
non-professional antigen presenting cells, 218
rules for antigen processing, 343
T-cell epitopes, 343
MHC class II invariant chain (Ii):
function, 218
non-professional antigen presenting cells, 218
MHL class I:
antigen processing, 41
macrophages, 41
secretory pathway, 41
Monocytes:
differentiation, 488
effect of LPS/PMA, 488
porcine, 488
relating to virus susceptibility, 488
Mycobacteria:
host response, 1
IL-6 regulation of immune response, 375
immunology of infection, 1
tuberculosis sub-unit vaccine, 375
Mycobacterial immunity:
CD4-mediated, 368
IL-12, 368
Mycobacterium avium infection:
mouse model, 113
role of CD-14, 113

Neuronal synapses:
antigen recognition, 417
TCR, 417
Neutrophils:
BPI promotes complement activation, 519
human, 465
signalling events, 465
Nitric oxide (NO):
effects on bone cell function, 255
in rheumatoid synovia, 362
protects from Fas-induced apoptosis, 362
T. cruzi infection, 122
NK T cells:
ageing, 281
characterization, 281
human, 281
role in Thl responses, 281

Oral tolerance:
active suppression, 458
IL-10, 458
Peyer's patch, 458
Osteoclasts:
nitric oxide, 255

Rheumatoid arthritis:
Fas-induced apoptosis, 362
nitric oxide, 362
Rotavirus:
gnotobiotic pigs, 188
human Wa, 188
IgA B cell memory, 188

Scavenger receptor SR-A:
CD68 directs expression, 351
7th HLDA Workshop:
CD antigens 2001, 401
Siglecs:
immune regulation, 137
Streptococcal inhibitor of complement (SIC):
MAC inhibition, 390
Systemic lupus erythematosis (SLE):
autoreactive T cells, 301
N2B model, 301
UIA antigen, 301

T-cell tolerance:
contribution of anergy, 262
peripheral, 262
T. cruzi infection:
Fas–FasL interaction, 122
mouse, 122
nitric oxide production, 122
Th2 type responses:
maternal tolerance, 382
Third complementarity-determining region (CDR3):
ageing, 179
human, 179
immunoglobulin variable gene, 179
Thymus development:
effect of estrogen, 17
TNFα:
activates p38 MAP kinase, 465
role in neutrophil respiratory burst, 465
TNFα production:
effect of chemokine inhibitor, 244
Tolerance:
apoptosis, 81
CD28 signalling pathway, 131
IL-10, 131
transplanted xenogenic tumour, 81
Tuberculosis:
host response, 1
Tumour immunology:
$CD4^+$ T-regulatory cells, 449
IL-10, 449

ZAP-70 deficiency:
IgE responses, 164
human, 164